


# SHOWER TRAY, SHOWER TRAYS (QUARYL), SHOWER TRAYS, RECTANGULAR SHOWER TRAYS, FLUSH-FITTING SHOWER TRAYS, ACCESSIBLE SOLUTIONS, ACCESSIBLE SHOWER TRAYS SQUARO INFINITY

## PRODUCT INFORMATION

### 1 . POSITION



Model	UDQ1180SQI2IV
Width	800 mm
Height	40 mm
Depth	15 mm
Length	1100 mm
Weight	26 kg
Description	<p>Installation: flush-fitting / in a niche Technical information:: Cut shower tray (side unprocessed)., Drainage capacity: 48 l/min, The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274., All shower trays are classified as anti-slip class C (in accordance with DIN51097), <b>Surface-mounted models can be fitted in a niche or flush-fit with the floor., Quarry! shower trays can be cut to size on site according to the installation instructions; detailed video at <a href="http://pro.villeroy-boch.com/squaroinfinity">pro.villeroy-boch.com/squaroinfinity</a> or QR code on this page.</b> Outlet cover in matching matt colour with chrome-plated strip., <b>The extra charge for cutting already in the total price!</b> Not included in scope of delivery:: All shower trays are supplied without support/base., With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure. Diameter: 90 mm</p>
Material	Quaryl®

## Specification texts

Squaro Infinity; Shower tray; Size: 1100 x 800 x 40 mm; Quarryl®; Installation: flush-fitting / in a niche; Outlet cover in matching matt colour with chrome-plated strip., **The extra charge for cutting already in the total price!**; Not included in scope of delivery:: All shower trays are supplied without support/base., With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.; Diameter: 90 mm; Technical information:: Cut shower tray (side unprocessed),. Drainage capacity: 48 l/min, The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274., All shower trays are classified as anti-slip class C (in accordance with DIN51097), **Surface-mounted models can be fitted in a niche or flush-fit with the floor., Quarryl shower trays can be cut to size on site according to the installation instructions; detailed video at [pro.villeroy-boch.com/squaroinfinity](http://pro.villeroy-boch.com/squaroinfinity) or QR code on this page.**

## COLOURS

Brown	UDQ1180SQI2IV-4S	4051202459574
Anthracite	UDQ1180SQI2IV-1S	4051202455941
Crème	UDQ1180SQI2IV-2S	4051202457150
Grey	UDQ1180SQI2IV-3S	4051202458362
Stone White	UDQ1180SQI2IV-RW	4051202851552

**UDQ1180SQI2IV**  
**SQUARO INFINITY**  
**UDQ1180SQI2I**

  
 Wilroy & Bösch  
 This drawing is for information only.  
 Dimensions on the actual product can vary slightly from those shown on this drawing.  
 Claims about exceeding dimensions on product or drawing will not be accepted.

