

SHOWER TRAY, SHOWER TRAYS (QUARYL), SHOWER TRAYS, RECTANGULAR
SHOWER TRAYS, FLUSH-FITTING SHOWER TRAYS, ACCESSIBLE SOLUTIONS,
ACCESSIBLE SHOWER TRAYS SQUARO INFINITY

PRODUCT INFORMATION



| | |
|-------------|--|
| Model | UDQ1710SQI2LV |
| Width | 1000 mm |
| Height | 40 mm |
| Depth | 15 mm |
| Length | 1700 mm |
| Weight | 49 kg |
| Description | <p>corner installation, left against the wall</p> <p>Technical information: Cut shower tray (side unprocessed), Drainage capacity: 48 l/min, The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274, All shower trays are classified as anti-slip class C (in accordance with DIN51097), Surface-mounted models can be fitted in corners on the left against the wall, in a niche or flush-fit with the floor., Quarryl shower trays can be cut to size on site according to the installation instructions; detailed video at pro.villeroy-boch.com/squaroinfinity or QR code on this page.</p> <p>These shower trays are cut along the short side.</p> <p>Outlet cover in matching matt colour with chrome-plated strip, The extra charge for cutting already in the total price!</p> <p>Not included in scope of delivery: All shower trays are supplied without support/base, With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.</p> <p>With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.</p> <p>Diameter: 90 mm</p> |
| Material | Quaryl® |

Specification texts

Squaro Infinity; Shower tray; Size: 1700 x 1000 x 40 mm; Quarryl®; corner installation, left against the wall; Outlet cover in matching matt colour with chrome-plated strip, **The extra charge for cutting already in the total price!**; Not included in scope of delivery: All shower trays are supplied without support/base, With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.; Diameter: 90 mm; With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.; Technical information: Cut shower tray (side unprocessed), Drainage capacity: 48 l/min, The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274, All shower trays are classified as anti-slip class C (in accordance with DIN51097), **Surface-mounted models can be fitted in corners on the left against the wall, in a niche or flush-fit with the floor., Quarryl shower trays can be cut to size on site according to the installation instructions; detailed video at pro.villeroy-boch.com/squaroinfinity or QR code on this page.**; These shower trays are cut along the short side.

COLOURS

| | | |
|-------------|------------------|---------------|
| Anthracite | UDQ1710SQI2LV-1S | 4051202456481 |
| Crème | UDQ1710SQI2LV-2S | 4051202457693 |
| Grey | UDQ1710SQI2LV-3S | 4051202458904 |
| Brown | UDQ1710SQI2LV-4S | 4051202460112 |
| Stone White | UDQ1710SQI2LV-RW | 4051202852214 |

UDQ1710SQI2LV

SQUARO INFINITY
UDQ1710SQI2L

Villeroy & Boch
• This drawing is for information only.
• Dimensions on the actual production
product may differ from the dimensions on
product or drawing and not be accepted.

