


SHOWER TRAY, SHOWER TRAYS (QUARYL), SHOWER TRAYS, RECTANGULAR SHOWER TRAYS, FLUSH-FITTING SHOWER TRAYS, ACCESSIBLE SOLUTIONS, ACCESSIBLE SHOWER TRAYS SQUARO INFINITY

PRODUCT INFORMATION

1 . POSITION



Model	UDQ8075SQI2IV
Width	750 mm
Height	40 mm
Depth	15 mm
Length	800 mm
Weight	19 kg
Description	<p>Installation: flush-fitting / in a niche Technical information:: Cut shower tray (side unprocessed)., Drainage capacity: 48 l/min, The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274., All shower trays are classified as anti-slip class C (in accordance with DIN51097), Surface-mounted models can be fitted in a niche or flush-fit with the floor., Quarryl shower trays can be cut to size on site according to the installation instructions; detailed video at pro.villeroy-boch.com/squaroinfinity or QR code on this page. Outlet cover in matching matt colour with chrome-plated strip., The extra charge for cutting already in the total price! Not included in scope of delivery:: All shower trays are supplied without support/base., With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure. Diameter: 90 mm</p>
Material	Quaryl®

Specification texts

Squaro Infinity; Shower tray; Size: 800 x 750 x 40 mm; Quaryl®; Installation: flush-fitting / in a niche; Outlet cover in matching matt colour with chrome-plated strip., **The extra charge for cutting already in the total price!**; Not included in scope of delivery.: All shower trays are supplied without support/base., With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.; Diameter: 90 mm; Technical information:: Cut shower tray (side unprocessed)., Drainage capacity: 48 l/min, The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274., All shower trays are classified as anti-slip class C (in accordance with DIN51097), **Surface-mounted models can be fitted in a niche or flush-fit with the floor., Quaryl shower trays can be cut to size on site according to the installation instructions; detailed video at pro.villeroy-boch.com/squaroinfinity or QR code on this page.**

COLOURS

Anthracite	UDQ8075SQI2IV-1S	4051202455811
Crème	UDQ8075SQI2IV-2S	4051202457020
Grey	UDQ8075SQI2IV-3S	4051202458232
Brown	UDQ8075SQI2IV-4S	4051202459444
Stone White	UDQ8075SQI2IV-RW	4051202852511

SQUARO INFINITY
UDQ8075SQI2IV
UDQ8075SQI2I


 Villeroy & Boch
 This drawing is for information only.
 Dimensions on the actual product can
 differ from those on the drawing.
 Claims about exacting dimensions on
 product or drawing will not be accepted.

